

W-TENTS



Chinese

English

French

German

Hungarian

Italian

Russian

Slovenian

Spanish

Turkish

mobile space solutions
www.roder.com



RÖDER W-TENTS REQUIREMENTS & SOLUTIONS

420 m² USABLE AREA	750 m² USABLE AREA	1.050 m² USABLE ARE	700 m² USABLE AREA	400 m² USABLE AREA	426 m² USABLE AREA
4 Days TIME FRAME	2 Weeks VISITORS	7 Days VISITORS	3 Days VISITORS	1 Week TIME FRAME	4 Months TIME FRAME
600 PERSONS	177.900 PERSONS	1.500 PERSONS	500 PERSONS	2.000 PERSONS	150 daily PERSONS
12,0 x 35,0 m Wine tent TENT TYPE	15,0 x 50 m Wine tent TENT TYPE	10,0 x 105,0 m Wine tent Giga Uno TENT TYPE	10,0 x 15,0 m Wine tent Giga Quattro TENT TYPE	10,0 x 40,0 m Wine tent TENT TYPE	10,0 m Wine tent Octagonal (6 Pcs. in combination) TENT TYPE
Compact floor EQUIPMENT	Extension B-Tent EQUIPMENT	Full-Service, doors, glass facade, decoration and lighting EQUIPMENT	Opaque roof tarpaulin and black interior cladding EQUIPMENT	Complete fabric covering EQUIPMENT	Roof tarpaulins transparent SPECIAL FEATURE
Wine and folk festivals in Bavaria	Allgäuer Festwochen	25-year company anniversary	Annual General Meeting of a renowned german car manufacturer	Anniversary celebration of Fashion company	Restaurant expansion



» FLEXIBLE AND VERSATILE

The solutions of RÖDER W-TENTS show its strengths, when a gain of ceiling height is desired. High ceilings provide not only a plus of elegance and well-being, but also provide easily accommodate theaters, music systems or even exhibition stands.



RÖDER W-TENTS

AESTHETIC AND VERSATILE

The ROEDER W-TENTS can be flexibly adapted to the given conditions. The wine tents persuade visually, economically and with safety across the board. Due to their constructions and their low packing volume, the systems can be installed quickly and easily transported.

RÖDER W-TENTS are characterized primarily by their combinability. The tent systems perfectly match with the RÖDER W-TENTS, if the technical features such as side height or bay distance / grid match. In this context arise tent impressive tent landscapes.

In addition to the **Giga Uno, Giga Quattro, Wine tent** and **Wine tent Octagon**, the RÖDER Group also offers a wide range of accessories. The accessories range from facade elements, speciality doors and entrances, various types of tarpaulins as well as floor, heating, air-conditioning and lighting systems – right up to individual furnishings.

Come and speak to us in person to find out which tent or marquee system best meets your requirements. The RÖDER team looks forward to helping you find the perfect accommodation!



» WIDE RANGE OF USES

RÖDER W-TENTS offer space to plan and bring new ideas and projects to life. The diverse variants invite you to combine. Creative design options can make your own concepts come true.



POSSIBLE APPLICATIONS

**GALAS CONCERTS COMPANY EVENTS ANNIVERSARIES FAIR
PRODUCT PRESENTATIONS FESTIVALS VIP-EVENTS MESS
CORPORATE-EVENTS SALES PROMOTIONS EXHIBITIONS EVENTS
SPORT EVENTS KICK-OFFS SUMMERFESTIVAL GALERIES
MARKETS ROADSHOWS FASHIONSHOWS CATERING MEETINGS
MARRIAGES CONGRESSES RESTAURANT CITY FAIRS
ROOFING CANTEENS BAR THEATER CLUB ENTERTAINMENT**

THE SYSTEM FOR INDIVIDUALISTS

The modular design of RÖDER W-TENTS is effective and efficient thanks to the wide range of possible uses. The tent and marquee systems offer the right accommodation for individual and extraordinary requirements and occasions.

CREATIVE AND ADAPTABLE



» CONCEPTUALLY STRONG AND APPEALING

RÖDER W-TENTS offer perfect opportunities for the implementation of sophisticated product launches, trade shows and gala events.



ATMOSPHERIC
AND INDIVIDUAL




» ALWAYS THE RIGHT AMBIENCE

The RÖDER W-TENTS are available in the variants Giga Uno, Giga Quattro, Wine tent and Wine tent Octagon. Through our 5 meter grid system they can be expanded or combined with all the advantages of W-TENTS series and remain profitable over the years



TENT VARIANTS

- 1. Wine tent
Spans
10,0 m | 12,0 m | 15,0 m
- 2. Wine tent Octagonal
Span
10,0 m
- 3. Giga Uno
Span
10,0 m
- 4. Giga Quattro
Span
10,0 m






INFORMATION
All tent variations are available with different side panels. With the grid they are each about 5.0 m extendable. Individual spans, lengths, side heights and grid dimensions are possible as a special order. Detailed information is described in the technical data sheet on the following pages.



TECHNICAL DATA

WINE TENT

STANDARD VERSION			
Span	1.000 cm	1.200 cm	1.500 cm
Side height	240 / 300 cm	240 / 300 cm	240 / 300 cm
Ridge height	422 / 482 cm	468 / 528 cm	516 / 576 cm
Roof pitch	20°	20 °	20°
Bay distance / grid	500 cm	300 cm	300 cm
Longest component	540 cm	645 cm	645 cm
Main profile	130 x 70 x 3 mm		
Gable column	1	3	3
Corner connections	Stem bolts		
Min. setup length	1.000 cm		
Max. setup length	Expandable with the grid		
Max. wind speed according to EN	100 km/h		
Attachment options	<ul style="list-style-type: none">• ½ Octagonal at gable ends• Tents of the Giga series		
Special design	<ul style="list-style-type: none">• Elimination of the side boards by the installation of portals• Elimination of anchorage when using the compact floor		
Floor	<ul style="list-style-type: none">• Wood floor with timber or steel-aluminum substructure• Cassette floor• Compact floor		
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to EN 15619		



QUESTIONS AND COMMENTS



We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.



TECHNICAL DATA

WINE TENT OCTAGONAL

STANDARD VERSION	
Span	1.000 cm
Side height	240 / 300 cm
Side length	383 / 383 cm
Ridge height pavillion roof /membrane roof	422 / 572 cm
Roof pitch	20°
Covered area	70,7 m²
Longest component	532 cm
Main profile	130 x 70 x 3 mm
Gable column	0
Corner connections	Stem bolts
Max. wind speed according to EN	100 km/h
Attachment options	Extension with intermediate fields
Special design	<ul style="list-style-type: none">Elimination of the side boards by the installation of portalsElimination of anchorage when using the compact floor
Floor	<ul style="list-style-type: none">Wood floor with timber or steel-aluminum substructureCassette floorCompact floor
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to EN 15619



QUESTIONS AND COMMENTS




We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.



TECHNICAL DATA

GIGA UNO

STANDARD VERSION	
Span	1.000 cm
Side height	240 / 300 cm
Ridge height	422 / 482 cm
High point	672 / 732 cm
Roof pitch	20°
Bay distance / grid	500 cm
Longest component	540 cm
Gable column	1
Main profile	130 x 70 x 3 mm
Corner connections	Stem bolts
Min. setup length	2.000 cm
Max. setup length	Expandable with the grid
Max. wind speed according to EN	100 km/h
Attachment options	<ul style="list-style-type: none">• ½ Octagonal at gable ends• Tents of the Giga series
Special design	Elimination of the side boards by the installation of portals
Floor	<ul style="list-style-type: none">• Wood floor with timber or steel-aluminum substructure• Cassette floor• Compact floor
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to EN 15619



QUESTIONS AND COMMENTS




We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.



TECHNICAL DATA

GIGA QUATTRO

STANDARD VERSION	
Span	1.000 cm
Side height	240 / 300 cm
Ridge height	422 / 482 cm
High point	902 / 962 cm
Roof pitch	20°
Bay distance / grid	500 cm
Longest component	525 cm
Gable column	1 in each destination
Main profile	130 x 70 x 3 mm
Corner connections	Stem bolts
Minimum setup length	Min. 1 connection field in each destination
Maximum setup length	Expandable with the grid in each destination
Max. wind speed according to EN	100 km/h
Attachment options	<ul style="list-style-type: none">• ½ Octagonal at gable ends• Tents of the GIGA series
Special design	Elimination of the side boards by the installation of portals
Floor	Cassette floor
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to EN 15619



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.



EQUIPMENT FEATURES

FLEXIBLE AND MODULAR

THE W-TENT SERIES - UNIVERSAL GENIUS FOR ALMOST ANY OCCASION

The RÖDER W-TENTS can be quickly and easily assembled and disassembled by stable and solid connection elements. The well-designed combination of supporting and connecting elements guarantees a proven high level of structural stability. Many optional pieces of equipment and tent components can be added to the standard scope of delivery. Everything from the floor system, framework, terraces, galleries, cladding right up to the roof tarpaulins can all be customised to make the tent and marquee systems individual. RÖDER W-TENTS are flexible and modular by its extensive equipment options.



1. Stability

RÖDER guarantees a high level of stability on almost any terrain.

2/3. Connection parts

Solid, easy to install eaves and ridge connections with self-locking bolts.

4. Accessories

Exclusive accessories such as the various facades, door systems or transparent side and roof. Prepare lead to an impressive ambience.

INCLUDED IN DELIVERY

Frame construction with anodised aluminium profiles

White roof tarpaulins with fixed or bungee tensioning

White side tarpaulins with central divisions

Ground bars for the side tarpaulins

Pegs, setup tube and tarpaulin mounting ropes

SPECIAL EQUIPMENT

Windows for the side tarpaulins

Various floor and facade systems

Various ways of setting up or remodeling the tents

Arch-shaped bars instead of diagonal bars

Different types of doors and entrances

Fixed anchors for the roof tarpaulins

Interior decoration and lighting

DESCRIPTION OF FRAME MATERIAL

Anodized aluminium-profile with four-channel profile

Connecting elements made of aluminium and galvanised steel

Statics calculated by EN 13782

DESCRIPTION OF TARPAULIN MATERIAL

RÖDER No. 1, PVC-coated tarpaulins produced in line with EN 15619

Classified as 'difficult to ignite' by DIN 4102 and EN 13501

Dirt-repellent and light-resistant

Lets daylight through and is UV-resistant

Low-wick coated polyester threads



INVITING AND
REPRESENTATIVE



TECHNICAL FEATURES

DECADES OF EXPERIENCE

The RÖDER Group uses only the most qualified staff, the best materials and constantly draws on its decades of experience in the field of temporary accommodation – right from the very start of the construction and production process of the tent and marquee systems. We achieve high customer satisfaction through quality and safety. Continuous and reliable quality management means we can place our trust in the materials we use. The RÖDER Group is certified according to the European standards EN ISO 9001:2008 and EN ISO 14001:2009. All structures are calculated and tested in accordance with the European standard EN 13782.

1.



2.



1. Construction

The modular design principle allows various types of construction and expansion.

2. Equipment

RÖDER offers many exclusive types of facades and equipment to go with its tent and marquee systems.

3. Logistics

Specialist partners take on the task of transporting the tent and marquee systems. As a trusted and known dispatcher, RÖDER benefits from a fast-track customs clearance process. This guarantees a just-in-time availability worldwide.

3.



4.




4. Production

RÖDER production is respectful to both people and the environment – worldwide.

The anodised aluminium frame is equipped with highly secure profiles and has two- or four-channel keder technology. The sophisticated keder technology makes it possible to expand the tents in many different ways – using the modular design principle. The keder technology also provides protection against bad weather and storms. Highly secure aluminium alloys and galvanized steel guarantee a long-life hold.

RÖDER conducts the planning in line with the minimum quality standards laid down by the EN 15619 product certification. The long-life RÖDER No.1 tarpaulins are equipped with polyester threads that have a special low-wick and PVDF coating. This increases their resistance against bad weather, prevents dirt building up on the surface and damp getting through. The tarpaulins are classified as 'difficult to ignite' by the standards DIN 4102 and EN 13501, are resistant against fungus and spores (fungicidal), and are UV-proof.

The tents guarantee easy handling as they are quick and easy to set up, do not take up much storage or transport space, and the highly secure aluminium profiles are lightweight. The installation and dismantling of the tents will not demand too much manpower or incur high costs.



» EXPANSIONS

Various RÖDER tents and marquees can be combined with each other and expanded in many different ways to create impressive accommodation.

FULL-SERVICE



TARPAULINS & FACADE SYSTEMS



FLOOR SYSTEMS



STAIRS, BALCONIES, GALERIES & RAILINGS



SECURITY SYSTEMS



LIGHTING



KITCHEN & SANITARY INSTALLATIONS



INTERIOR, CLADDING & DECORATION



FENCE, SEPARATION & FLAG SYSTEMS

DIVERSE AND VARIABLE



HEATING & AIR CONDITIONING SYSTEMS



DOOR & GATE SYSTEMS



ISO 9001:2008
ISO 14001:2009
REGISTERED FIRM

QUALITY MANAGEMENT

IN ALL PROCESSES, WE ENSURE THAT THE HIGHEST QUALITY AND SAFETY STANDARDS ARE COMPLIED WITH IN ORDER TO PROTECT OUR CUSTOMERS AND TO OFFER THEM THE BEST-LOOKING PRODUCT WITH THE BEST MATERIALS. THIS IS WHY QUALITY, SAFETY AND DURABILITY ARE FIRM COMPONENTS OF RÖDER'S COMPANY CULTURE.

In order to optimise production and business processes and to maintain all safety guidelines so as to guarantee product quality and customer satisfaction, the RÖDER Group employs consistent, sustainable and thorough quality management. The concept of our quality management is based on internal and external input. All relevant processes are defined and documented – from the design phase, material selection and project planning right up to when the tent and marquee systems are given to the customers. As a high-end manufacturer, 'Engineered in Germany' and 'Made by RÖDER' is our promise of quality to our customers. Both our design expertise and quality management are therefore pivotal for the success of our products and trust of our customers.

The quality management systems, which are tested and certified in accordance with the **European standards EN ISO 9001:2008** and **EN ISO 14001:2009**, relate to the design, construction, production, sale and hiring out of RÖDER tent and marquee systems. In order to guarantee the quality promised by the RÖDER Group, all members of staff take part in regular external and internal training on quality and safety. All our temporary accommodation is inspected by TÜV in terms of construction, structure and the tarpaulins. In addition, the company receives external advice and supervision from Bavarian-based company inspectors, the **LGA (Landesgewerbeamt Bayern)**.

ENGINEERED IN
GERMANY



»» MORE ROOM FOR POSSIBILITIES

The RÖDER W-Tents series is the all-rounder for any application where more space and height is required.

SUSTAINABLE AND ECOLOGICAL



BENEFITS AND ADDED VALUE OVERVIEW

- EXPANDABLE with MODULAR DESIGN
- SOLID AND RELIABLE CONNECTION ELEMENTS
- CALCULABLE STORAGE AND TRANSPORT COSTS
- EASY AND QUICK INSTALLATION
- EXPANDABLE BY GRID SYSTEM DIFFERENT SIDE COVERS
- FACADES AND FLOOR SYSTEMS
- EXCELLENT VALUE FOR MONEY
- EXCLUSIVE RECONSTRUCTION VARIANTS
- EXPERT ADVICE IN ALL PHASES OF THE PROJECT
- CERTIFIED QUALITY AND SAFETY
- EXTENSIVE SERVICE AND SERVICE-SUPPLY OFFER
- DIVERSE APPLICATION POSSIBILITIES
- MANY YEARS OF EXPERTISE OF QUALIFIED EMPLOYEES
- FLEXIBLE AND MODULAR EQUIPMENT
- ENGINEERED AND MADE IN GERMANY
- DURABLE AND HIGH QUALITY MATERIALS
- A TENT AND HALL SYSTEMS OF RÖDER

RÖDER WORLDWIDE

- Headquarters
- RÖDER subsidiary with its own production facilities and rental warehouse
- RÖDER subsidiary with its own rental warehouse
- RÖDER Sales office
- RÖDER Partner

GERMANY (HEADQUARTERS)

RÖDER
Zelt- und Veranstaltungsservice GmbH
Am Lautenstein, 63654 Büdingen
Fon + 49 60497000
Fax + 49 6049700339
info@roder.com
www.roder.com

1

ALGERIA (PARTNER)
ASTALAVISTA SARL
06, Rue Abd El Kader Guellati
Cinq Maisons, El Mohammadia,
Alger
Fon + 213 21525738
Fax + 213 21525737
info@roder.com
www.astalavista-dz.com

2

ARGENTINA (PARTNER)
Roggerone SRL,
Av. Santa Fé 2665-1640 Martinez,
Pcia de Buenos Aires, Argentina
Fon + 54 1147925422
Fax + 54 1147934113
info@roder.com
www.roggerone.com

3

AUSTRIA (SUBSIDIARY)
RÖDER Zelte Austria
Gartenstraße 30a
AT-4201 Gramastetten, Austria
Fon + 43 7239 70024
Fax + 43 7239 70024
info@roder.com
www.roder.com

4

AUSTRALIA (PARTNER)
H-Line Structures Australia
P.O. Box 8009, Toowoomba
AU-4350 Queensland, Australia
Fon + 61 754451300
Fax + 61 754458027
info@roder.com
www.hlinestructures.com.au

5

CHILE (PARTNER)
Bodegajes Temporales Limitada
Patricia Viñuela 578-C
CL-Lampa Santiago, Chile
Fon + 56 27385638
Fax + 56 27385639
info@roder.com
www.btcbodegajes.cl

6

CHINA-PEKING (SUBSIDIARY)
RODER Tent Service
(Beijing) CO., Ltd
Rm. 311 Sanchuan Dasha
3 Hepingli Xijie, Chaoyang Qu
100013 BEIJING, P. R. China
Fon + 86 10644055-71 | -72
Fax + 86 1064405219
info@roder-china.com
www.roder-china.com

7

CHINA-SHANGHAI (SUBSIDIARY)
RÖDER Tent Service
(Shanghai) CO., Ltd
No. 3978 Hu Qingping Road,
Qingpu district, CN-201703
Shanghai, China
Fon + 86 2151099228
Fax + 86 21398126 07
info@roder-china.com
www.roder-china.com

8

COLOMBIA (PARTNER)
Bodegajes Temporales Colombia S.A.S
Cr 7 71 Torre B floor 9
Bogotá, Colombia
Fon + 57 3115870731
celeon@btcbodegajes.com.co
www.btcbodegajes.cl

9

CZECH REPUBLIC (PARTNER)
Diamant Expo
Marie Kršňákové 119
403 17 Chabařovice, Czech Republic
Fon + 42 04752147934
Fax + 42 0475214793
info@roder.com
www.roeder.cz

10

FINLAND (PARTNER)
Siirtohallit Oy
Puusepantie 11
04360 Tuusula
Finland
Fon +35 8400913913
info@roder.com
www.siirtohallit.fi

11

FRANCE (SUBSIDIARY)
RÖDER France SARL
ZI No. 2 · 28, Allée Monge
FR-60 000 Beauvais, France
Fon + 33 344028877
Fax + 33 344053926
info@roder.fr
www.roder.com

12

GREECE (PARTNER)
Con.Tent Ltd.
Kifissias Avenue 198
GR-15231 Halandra-Athens, Greece
Fon + 30 2106754720
Fax + 30 2106754722
info@roder.com
www.con-tent.gr

13

HUNGARY (SUBSIDIARY)
RÖDER GmbH Magyarországi
Közvetlen Kereskedelmi, Képviselete
Széchenyi tér 21-23 III/6
HU-6900 Makó,
Hungary | Magyarország
Fon + 36 62212071
Fax + 36 62212071
info@roder.com
www.roeder.hu

14

ITALY (SUBSIDIARY)
RÖDER Italia SRL
Via Stazione 27/a
IT-39042 Bressanone, Italy
Fon + 39 0472830939
Fax + 39 0472832909
info@roder.com
www.roder.com

15

MALAYSIA (PARTNER)
Sebsat Malaysia Sdn Bhd
Lot 50321, Jalan KPb 1,
Kawasan Perindustrian Budiman
Batu 10 3/4, 43200 Cheras, Selangor,
Malaysia
Fon + 60 390802640
Fax + 60 390801640
ceo_sebsat@yahoo.com
www.roder.com

16

MOROCCO (PARTNER)
Grand Chapiteau
15, rue Oued Sebou Agdal
1000 Rabat - Maroc
Fon + 33 344028877
Fon + 33 344053926
info@roder.fr
www.roder.com

17

MEXICO (SUBSIDIARY)
Roeder de México S.A. de C.V.
Mariano Escobedo # 193
Torre Norte, Of. 1304
Col. Anáhuac I Secc.,
Del. Miguel Hidalgo C.P. 11320 - México D.F.
Fon + 52 7282823845
info@roder.com
www.roder.com.mx

18

NEW ZEALAND (PARTNER)
H-Line Structures
9A Taylor Rd
NZ-Papamoa, Bay of Plenty 3118,
New Zealand
Fon + 61 754451300
Fax + 61 754458027
info@roder.com
www.hlinestructures.com.au

19

PERU (PARTNER)
Btp Almacenes S.A.C
Ricardo Palma 1250
Miraflores – Lima, Perú
Fon + 51 948902070
info@roder.com
www.btcbodegajes.cl

20

ROMANIA (PARTNER)
Str. Buzesti Nr. 61, Et. 7,
Ap. 48-49, Sector 1,
RO-011013 Bukarest, Romania
Fon + 40 213110011
Fax + 40 213110011
info@roder.com
www.roeder.ro

21

RUSSIAN FEDERATION (SUBSIDIARY)
RÖDER OOO
Solnechnogorskiy district,
Village Lunevo, Garazhnaya street
opposite No. 16
RU-141580 Moskau, Russia
Fon + 7 4957858157
Fax + 7 4957858158
roder@roder.ru
www.roder.ru

22

SLOVENIA (PARTNER)
Expo Biro d.o.o.
Miklavška cesta 57
SL-2311 Hoce, Slovenia
Fon + 38 624805800
Fax + 38 62480580 20
info@roder.com
www.expobiro.si

23

SPAIN (PARTNER)
Foro Técnico S.L., Orient 78-84
ES-08172 St. Cugat del Valles
Barcelona, Spain
Fon + 34 935441860
Fax + 34 935441861
info@roder.com
www.forotec.com

24

SWEDEN (PARTNER)
One4Event AB
Hemgatan 2
SE-78473 Borlänge, Sweden
Fon + 46 243794360
Fax + 46 243794369
info@roder.com
www.one4event.com

25

SWITZERLAND (SUBSIDIARY)
Orgatent AG
Gewerbe Badhus
CH-6022 Grosswangen,
Switzerland
Fon + 41 419804939
Fax + 41 419804919
info@orgatent.ch
www.orgatent.ch

26

TURKEY (SUBSIDIARY)
RÖDER Yapi Sistemleri
Sanayi Ticaret Ltd. Sti
Akasya Acıbadem
Çeçen Sokak, Kent Etabı A Kule Kat:18 D:62
TR-34660 Üsküdar/Istanbul, Turkey
Fon + 90 2163408910
Fax + 90 2163408915
info@roder.com.tr
www.roder.com.tr

27

UKRAINE (PARTNER)
Tent Plettac Ltd.
Plodova Str., 1
UA-4128 Kyiv, Ukraine
Fon + 38 0444000461
Fax + 38 0444222145
info@tent-plettac.com
www.tent-plettac.com

28

UNITED KINGDOM (SUBSIDIARY)
RÖDER UK Ltd.
Unit 16 Earith Business Park
Meadow Drove, Earith,
Cambridgeshire
GB-PE28 3QF, United Kingdom
Fon + 44 1487840840
Fax + 44 1487840843
sales@roderuk.com
www.roderuk.com

29

USA (PARTNER)
Anchor Industries Inc.
1100 Burch Dr., P.O. Box 3477 Evansville,
Indiana 47733, USA
Fon + 1 8128672421
Fax + 1 8128670547
info@roder.com
www.anchorinc.com

30

19



RÖDER ZELT- UND VERANSTALTUNGSSERVICE GMBH
AM LAUTENSTEIN, 63654 BÜDINGEN (GERMANY)

FON +49 6049 700 0
FAX +49 6049 700 339

INFO@RODER.COM
WWW.RODER.COM

